




GreatOrientalTrading
www.gotrading.co.th

@gotrading f GreatOrientalTrading 097-3619703

1049 ถ.ร่วมธรรม ต.คอหงส์ อ.หาดใหญ่ จ.สงขลา 90110



**courroies et bandes
transporteuses thermosoudables**

**thermoweldable drive
and conveyor belts**

**schweissbare riemen
und förderbänder**






COURROIES RONDES POLY/FLEX ET SOUPLEX ■■■■

POLY/FLEX AND SOUPLEX ROUND BELTS ■■■■

POLY/FLEX UND SOUPLEX RUNDRIEMEN ■■■■



REFERENCE	FORCE DE TRACTION (daN)	ALLONGEMENT CORRESPONDANT (%)	Ø CONSEILLÉ DES POULIES (en fond de gorge) (mm)	Ø MINIMUM DES POULIES (en fond de gorge) (mm)
REFERENCE	TRACTION RATING (DN)	CORRESPONDING ELONGATION (%)	RECOMMENDED PULLEY Ø (diameter tensioning) (mm)	MINIMUM PULLEY Ø (diameter tensioning) (mm)

PFRG2	2	0,47	8	15	10
PFRG3	3	1	8	20	15
PFRG4	4	1,9	8	35	25
PFRG5	5	2,9	8	40	30
PFRG6	6	4,2	8	50	40
PFRG7	7	5,7	8	60	50
PFRG8	8	7,5	8	70	55
PFRG9	9	9,5	8	80	65
PFRG10	10	11,8	8	90	75
PFRG12	12	17	8	100	90
PFRG15	15	26,5	8	140	120
* PFRG18	18	38,1	8	190	150

REFERENCE	FORCE DE TRACTION (daN)	ALLONGEMENT CORRESPONDANT (%)	Ø CONSEILLÉ DES POULIES (en Ø primitif) (mm)	Ø MINIMUM DES POULIES (en Ø primitif) (mm)
REFERENCE	TRACTION RATING (DN)	CORRESPONDING ELONGATION (%)	RECOMMENDED PULLEY Ø (primitive Ø) (mm)	MINIMUM PULLEY Ø (primitive Ø) (mm)
REFERENZ	ZUGKRAFT (daN)	ENTSPRECHENDE DEHNUNG (%)	EMPFOHLENER Ø DER ROLLEN (im wirkamen Ø) (mm)	MINIMALER Ø DER ROLLEN (im wirkamen Ø) (mm)

DFVR8	8 x 5		7	5	55	50
DFVR10	10 x 6	Z	11	5	80	65
DFVR13	13 x 8	A	20	5	100	80
DFVR17	17 x 11	B	36	5	150	130
DFVR22	22 x 14	C	60	5	220	180
* DFVR25	25 x 16		72	5	240	200
DFVR32	32 x 19	D	118	5	320	240



**courroies et bandes
transporteuses thermosoudables**

**thermoweldable drive
and conveyor belts**

**schweissbare riemen
und förderbänder**

